

Guarantee Terms and Conditions

Client Obligations

Your cabin will stay functional and beautiful many years if you take proper care for it. The strips will have to be replaced when they will start to wear-out, to swallow or to leak out water. The quality of the water in different countries can be reason for additional cleaning and attention while using the cabin.

Guarantee conditions

The Manufacturer gives 2 years of guarantee of the product.

The Manufacturer guarantees that the product will function flawless during the guarantee period, during normal use, which includes showering of human beings.

The Manufacturer guarantees to make any necessary repairs and fix any defects on the product on its own expence in the guarantee period.

In any of the defects in the guarantee period can not be fixed, the customer reserves the right to ask the seller for the product to be replaced or for the refund of the money.

The period for fixing the defects in the guarantee period is maximum 30 days from receiving the claim.

The claim must be in the written form with attached invoice or receipt and properly stamped guarantee list, otherwise the guarantee will not be valid.

The autorised service decides if the complaint is sustained or not.

The guarantee is valid only if the product is installed by authorized person. The manufacturer is not liablen for any accidents caused by improper installation.

Gaurantee not includes

1. Damages during transportation.
2. Damages caused by inappropriate installation or inappropriate use.
3. Damages caused by cleaning with inappropriate agens.
4. Damages caused by usage of the product in the inappropriate conditions.
5. Damages of the glass, aluminum and other parts caused by mechanical impact.


Service List

Model
Date of service
Signature and stamp of the authorised service
Model
Date of service
Signature and stamp of the authorised service

Model
Date of service
Signature and stamp of the authorised service
Model
Date of service
Signature and stamp of the authorised service



BELLA S Installation Manual and Guarantee



Made In Bulgaria

1. Preparation

Carefully measure the space in which you place the cabin in your bathroom (width, length and height) to make sure that the shower cabin is fitted in the space provided.

When buying a cabin, check that the package contains all the components that are in the component list on page no. 2. Make sure that there are no damaged parts or missing parts, and immediately report any irregularities to the seller.

Allow the shower cabin installation to be made by persons that are authorized by Royal Glass Cabins. Only in this case will you be sure that the cabin will be installed correctly.


The warranty is invalid in case the cabin is not installed by an authorized person of Royal Glass Cabins or a local distributor. And sellers are not responsible and do not suffer the consequences caused by the installation of the cabin by an unprofessional and unauthorized person.

Keep in mind that an expert has the task of positioning the cabin properly and aesthetically.

There are factors that influence the aesthetic appearance of the cabin in your bathroom when installing the cabin (unparalleled walls, uneven floor, etc.)

2. Necessary tools

1. Crosshead screwdriver
2. Flat screwdriver
3. Measuring tape
4. Spirit level
5. Sanitary silicone
6. Drill



5. Maintenance of the cabin

Surface cleaning

The surface should be cleaned with a soft cloth with clean and lukewarm water. You can use non-abrasive cleaners for bathroom and bathroom furniture

DON'T USE: abrasive cleaning agents for glass, alcohol, abrasive detergents, acetone, ammonia based agents, acids and similar products in order to avoid damaging the surface.

You can use vinegar to make scale deposits, which will be more effective if you heat it a little.

Glass cleaning.

Use any type of product that is intended to clean the glass in the house.

Aluminum cleaning

Use soft materials and a soft cloth to clean the aluminum.

Do not clean the aluminum with glass cleaners, abrasive detergents, acetone, alcohol, polish, etc.

Security tips

1. Persons with serious health problems and chronic illnesses should consult a physician before using the cabin.
2. Do not use alcohol, narcotic drugs, or other medicines before use, and for at least half an hour after using the cabin.
3. Children are not allowed to use a shower cubicle without adult supervision.
4. Do not leave objects with open fire in the shower or bathtub.
5. Do not leave electrical or electronic appliances in the cabin or near the cabin.

6. Guarantee

It is filled in by the seller


Model: _____
Date of sale: _____
Signature and stamp: _____

Congratulations on your excellent choice and we thank you for your confidence.


4. Installation of the cabin

4.1. The installation starts with the positioning or leveling of the shower or other base on which the shower cubicle is placed. Check the siphon if it works, so that no leaks occur after installation.


4.2. Mark the position, level and place the wall vertical profiles (1) on the wall. Drill 3 drill holes with a 6mm drum in pre-marked positions where the profiles are and put the wall plugs (19) in the holes. Then, using screws 4.0x40 (18), attach the wall vertical profiles (1) to the wall.




4.3. First put the bottom horizontal profile (4) and then the vertical profile (2) in the position in the wall vertical as shown on the drawing. (Detail 1)




4.4. Place the fixed glass (8) into a bottom horizontal and vertical profiles. Then put the upper horizontal profile (3) on the top of the fixed glass.




4.5. Set the roller wheels (12 & 13) on the Glass door (9) as shown on the drawing. When installing, be sure to place the appropriate wheels on the top and bottom of the glass.




4.6. Place the glass door on the upper and bottom horizontal profile.
 First hang the glass door on the upper horizontal profile by placing the wheels in the channel of the profile. Then place the wheels in the bottom horizontal profile. Press the button on the wheel to put the wheel in the channel, as shown on the drawing (Detail 3).




4.7. Fix the wall profile with the horizontal upper and bottom profiles and vertical profile with screw 3.9x16 (17) (Detail 2). Place the stoppers (15) in the right position on the upper and bottom horizontal profiles and fix with screw 3.9x16. Fix horizontal profile with horizontal profile corners (7) using 3.5x9.5 (16) (Detail 4)



Detail 2




Detail 3



Detail 4

4.8. Place the water seal strip (5), the magnetic strips (9), bottom profile covering wick (14) and the handles (10) as shown in the figure with the parts. Complete the installation by adjusting the roller on the cabin, so that the glass door will open very easily and will not touch the floor. Close the space between the cabin and the shower bathtub (floor) and the vertical walls with sanitary silicone. Do not use the shower cabinet for 24 hours to dry the silicone.

3. Shower cabin parts



1. Wall vertical profile	2 pcs
2. Vertical profile	2 pcs
3. Horizontal upper profile	2 pcs
4. Horizontal bottom profile	2 pcs
5. Fix glass fixing seal	1 pcs
6. Water seal stripe	4 pcs
7. Horizontal profiles corner	2 pcs
8. Fix Glass	2 pcs
9. Glass Door	2 pcs
10. Magnet stripe	1 set

11. Handles	1 set
12. Upper Roller wheels	4 pcs
13. Bottom Roller wheels	4 pcs
14. Bottom profile cover wick	2 pcs
15. Brake - Stopper	8 pcs
16. Screw 3.5 x 9.5	4 pcs
17. Screw 3.9 x 16	18 pcs
18. Screw 4.0 x 40	6 pcs
19. Wall plug 6 x 30	6 pcs
20. Screw Caps	10 pcs